

T60 4X4



T60 4X4



Stand out from the crowd in the **T60 ute**. It's the ultimate work horse providing equal power and comfort to get the job done. Whether you're transporting cargo from one job site to another, driving a gravel road to check on the farm's livestock or simply beginning your next DIY project, the combination of a spacious double-cab, 4WD capability and open tray makes it easy work.

PACKS A PUNCH

The choice is yours – opt for a 6-speed manual or an 8-speed automatic transmission. It's got part-time 4WD, packs smooth power and torque, and handles like a dream thanks to its smooth automatic gear changes and responsive steering.



BELLS & WHISTLES

This is your domain, take full control of the 10.25" touch screen infotainment system. Connect your smartphone and enjoy full access to navigation, calls, messages and music through the magic of Apple CarPlay*.

We understand how much time you spend behind the wheel, and so it was only right that the cabin is spacious, and the driver's seat is comfortable. Enjoy 6-way adjustments for positioning and in the T60 Lux model, you'll benefit from heated, electric seats.

The T60 has a rear camera, rear parking sensors and cruise control, plus essentials like air conditioning, power front windows, adjustable steering columnand keyless entry (Lux only).

BUCKLE UP

Drive with peace of mind in a ute that has been locked and loaded with an abundance of safety features.

Anti-lock braking (ABS), Electronic Brake Force Distribution (EBD) and Emergency Brake Assist (EBA) ensure optimal braking ability in any situation. With Hill Descent Control (HDC), Hill Start Assist (HAS), Traction Control System and Electronic Stability Program (ESP), the T60 supports you on the road at every turn.



The T60 combines impressive power with practical features, offering a dynamic driving experience. It handles towing up to 3,000kg with ease while ensuring smooth and responsive performance. Inside, you'll find a 10.25" Infotainment system for seamless connectivity, complete with Bluetooth, USB, and MP5 capabilities.

CUSTOMISATION

Talk to us about colour choices, customisation, signwriting, parts and accessories – we'll see you right.



T60 4X4



The powerful T60 ute is easy on the eye, with a design that means your business stands out from the crowd. Add to this a long list of creature comforts - your working day just got easier.



Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight fuel of the vehicle with viring is fitted, and trailer is attached, parking sensors will be disabled.

"The warranty is valid for vehicles registration in the varranty 2025 and covers a period of 7 years or 180,000km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issue

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit Idv.co.nz



T60 4X4 TECHNICAL SPECIFICATION



LDV WARRANTY ROADSIDE ASSIST & WOF*

Variant	Manual	Elite	Lux
Transmission	6 speed manual	8 speed automatic	8 speed automatic
Drive	4WD	4WD	4WD
General			
Warranty 7-Year/200,000km (whichever occurs first)	•	•	•
Туре	2.0 L Bi-Turbo Diesel Euro V	2.0 L Bi-Turbo Diesel Euro V	2.0 L Bi-Turbo Diesel Euro V
Maximum Power (kW/rpm)	160 @ 4,000	160 @ 4,000	160 @ 4,000
Maximum Torque (Nm/rpm)	500 @1,500-2,400	500 @1,500-2,400	500 @1,500-2,400
Manual Shift Mode for Auto Models		•	•
Eco/Power Mode	•	•	•
Intelligent Real Time Torque on Demand	•	•	•
2WD and 4WD high and low selector	•	•	•
Brakes			
Brakes – Front & rear, disc	•	•	•
Wheels and Tyres	17"x7J Alloy Wheels with 245/65 R17 Tyres	17" x 7J Alloy Wheels with 245/65 R17 Tyres	19" x 7J Black Alloy Wheels with 255/55 R19 Tyres
Fuel Tank (Litres)	73	73	73
Dimensions			
Ground Clearance (unladen) (mm)	215	215	215
Overall Length (mm)	5,365	5,365	5,680
Overall Height (without Roof Rails) (mm)	1,809	1,809	1,809
Overall Width (mm)	2,145	2,145	2,145
Turning Circle (kerb to kerb) (m)	12.6	12.6	12.6
Wading Depth (mm)	550	550	550
Wheelbase (mm)	3,155	3,155	3,155
Tub Box Width - Pick-Up Box (mm)	1,510	1,510	1,510
Tub Box Width of Rear Opening (mm)	1,360	1,360	1,360
Tub Height – at Centreline of Axle (mm)	530	530	530
Tub Length – at Floor (mm)	1,485	1,485	1,485
Tub Length – Top of Box (mm)	1,485	1,485	1,485

Variant	Manual	Elite	Lux
Tub Width – Between Wheel Arches (mm)	1,120	1,120	1,120
Gross Vehicle Mass (kg)	3,050	3,050	2,900
Payload (kg)	935	935	750
Towing Capacity – Braked (kg)	3,000	3,000	3,000
Max tow ball down weight (kg)	250	250	250
Towing Capacity – Unbraked (kg)	750	750	750
Safety Features			
Cruise control	•	•	•
Autonomous Emergency Braking			•
Lane Departure Warning			•
Anti-Lock Braking System (ABS)	•	•	•
Electronic Brake Assist (EBA)	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•
Electronic Stability Program (ESP)	•	•	•
Hill Descent Control (HDC)	•	•	•
Hill-Start Assist System (HAS)	•	•	•
Traction Control System (TCS)	•	•	•
Vehicle Dynamics Control (VDC)	•	•	•
Rear On Demand Differential Lock			•
Airbags – Driver and front passenger, side and full-length curtain	•	•	•
Seat Belts Front Dual Pretensioning	•	•	•
Engine Immobiliser	•	•	•
Child Anchoring – ISOFIX + Top Tether x 2	•	•	•
Lockable Glove Box	•	•	•
Rear Parking Sensors	•	•	•
Reversing Camera	•	•	
360 Degree Panoramic Camera			•
Tyre Pressure Monitoring System (TPMS)	•	•	•

T60 4X4 TECHNICAL SPECIFICATION



LDV WARRANTY

Variant	Manual	Elite	Lux
1 Remote Key and 1 Normal Key	•	•	
2 Smart Keys			•
Exterior			
Engine Bonnet – Gas Strut			•
Single Front Tow Recovery Point	•	•	•
Front Guard Plate – Black	•	•	•
Front Grille – Matte Silver	•	•	
Front Grille – Black			•
Door Handle – Body Colour	•	•	•
Door Mirrors – Body colour	•	•	
Side Mirrors – Auto Folding			•
Tub Cargo Tie Down Hooks	4	4	4
Mudflaps – Front and Rear	•	•	•
LED Headlights – Auto Dusk Sensing and Height Adjustable with LED Daytime Running Lights	•	•	•
Rain Sensing Windscreen Wipers	•	•	•
Tub Liner – Spray In	•	•	•
Side Steps	•	•	•
Roof Rails – Chrome	•	•	•
Sports Bar – Stainless Steel	•	•	
Sailplane Bar – Black			•
Black Wheel arches			•
Rear Fog Lights	•	•	•
Comfort and Convenience			
Steering Column – Height adjustable	•	•	•
12V Power Outlet x 1	•	•	•
Air Conditioning - Climate Control	•	•	•
Rear Air Vents	•	•	•
Cruise Control	•	•	•

Variant	Manual	Elite	Lux
Rear View Mirror – Manual Dimming	•	•	
Rear View Mirror – Auto Dimming			•
Multi-function Steering Wheel	•	•	•
Paddle Shifts for Gears			•
Sunglasses Holder	•	•	•
Cup Holders	4	4	4
Remote Control Locking	•	•	•
Keyless Entry and Push Button Start			•
Seating			
5 Seats	•	•	•
Driver's Seat – 6 way Manual adjustment	•	•	
Passenger's Seat – 4 way Manual adjustment	•	•	
Front Row Seats – 6 way Electronic adjustment with Heating			•
Cloth Seats – Black	•	•	
Leather Trimmed Seats – Black Partial			•
Speakers	6	6	6
10.25" Infotainment Display with Bluetooth, AM/ FM Stereo Radio, Apple CarPlay [*] and Smartphone Connectivity	•	•	•
USB Ports	2	2	2

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download when towing) must be taken into account when calculating payload and tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight litres, and trailer is attached, parking sensors will be disabled.

*The warranty is valid for vehicles registrated on or after I January 2025 and covers a period of 7 years or 160,000 km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues exceed the Covers manufacturing for the dat





Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axie load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking expects will be disabled. sensors will be disabled.

sensors will be disabled.

"The warranty is valid for vehicles registered on or after 1 January 2025 and covers a period of 7 years or 200,000km (whichever comes first) for Internal Combustion Engine (ICE) powered vehicles or 7 years or 160,000km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues such as design, assembly, or raw materials in covered parts but excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents or unauthorised repairs. To maintain the warranty, the vehicle must be serviced as per the maintenance schedule set out in the Service & Warranty Booklet. Warranty claims require proof of purchase and service records. The initial Warrant of Fitness (WOF) is provided at vehicle registration, with subsequent annual inspections required from the 3rd year. This warranty covers the subsequent WOF inspections at years 3, 4, 5, 6, 7 at an LDV Authorised Service Centre. This warranty complies with local laws and does not limit or exclude your statutory rights under the Consumer Guarantees Act. For full details, visit https://ldv.conz/warranty/.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and stardard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand. Visit Idv.co.nz